Regulation EC No 1907/2006 Art.31

Productname:

Ref.Nr.:

AGL 1

BDS000228_3_20150320 (EN)

Creationdate: Replaces:

20.03.15 Version: 2.1 BDS000228_20140710

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

AGL 1

Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Lubricants

1.3. Details of the supplier of the safety data sheet

CRC Industries UK Ltd. Ambersil House - Wylds Road Castlefield Industrial Estate TA6 4DD Bridgwater Somerset United Kingdom

Tel.: +44 1278 727200 Fax.: +44 1278 425644 E-mail: hse.uk@crcind.com

1.4. Emergency telephone number

(+44)(0)1278 72 7200

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Physical: Aerosol, category 2

Flammable aerosol.

Pressurised container: May burst if heated.

Health: Not classified **Environment:** Not classified

Repeated exposure may cause skin dryness or cracking. Other hazards:

Classification according to 67/548/EEC or 1999/45/EC:

FLAMMABLE

Health: R66: Repeated exposure may cause skin dryness or cracking.

Physical: **FLAMMABLE Environment:** Not classified



Regulation EC No 1907/2006 Art.31

Productname: AGL 1

Creationdate: 20.03.15 Version: 2.1 Ref.Nr.: BDS000228_3_20150320 (EN) Replaces: BDS000228_20140710

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictogram(s):



Signal word: Warning

Hazard statement(s): H223: Flammable aerosol.

H229: Pressurised container: May burst if heated.

Precautionary statement(s): P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P410/412: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F.

Supplemental Hazard

Repeated exposure may cause skin dryness or cracking. information:

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

Hazardous ingredient	CAS-nr.	EC-nr	w/w %	symbol	R-phrases*	Notes
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	-	(926-141-6)	50-75	Xn	65-66	В
mineral oil (IP 346 DMSO extract < 3%)	-	-	10-25	-	-	В
carbon dioxide	124-38-9	204-696-9	1-5	-	-	A,G
(2-methoxymethylethoxy)propanol	34590-94-8	252-104-2	1-5	-	-	Α
sulfonic acids,petroleum,sodium salts	68608-26-4	271-781-5	1-5	Xi	36/38	
Explanation notes						
A : substance with Community workplace exposure limit						
B : substance with national established workplace exposure limit						
G : exempted from the obligation to register in accordance with art.2(7)(a)of REACH Regulation No 1907/2006						

Hazardous ingredient	Registration number	CAS-nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	01-2119456620- 43	-	(926- 141-6)	50- 75	Asp. Tox. 1	H304	В



Regulation EC No 1907/2006 Art.31

Productname: AGL 1 Creationdate: 20.03.15 Version: 2.1 Ref.Nr.: BDS000228_3_20150320 (EN) Replaces: BDS000228_20140710

mineral oil (IP 346 DMSO extract < 3%)		-	-	10- 25	-	-	В
carbon dioxide		124-38-9	204- 696-9	1-5	Press. Gas	H280	A,G
(2-methoxymethylethoxy)propanol	01-2119450011- 60	34590- 94-8	252- 104-2	1-5	-	-	А
sulfonic acids,petroleum,sodium salts		68608- 26-4	271- 781-5	1-5	Skin Irrit. 2, Eye Irrit. 2	H315,H319	
Explanation notes							
A : substance with Community workplace exposure limit							

B: substance with national established workplace exposure limit

G: exempted from the obligation to register in accordance with art.2(7)(a) of REACH Regulation No 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

Contact with eyes :	If substance has got into eyes, immediately wash out with plenty of water If eye irritation persists: Get medical advice/attention.
Contact with skin :	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
Inhalation :	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion: If swallowed do not induce vomiting because of risk of aspiration into the lungs.

If aspiration is suspected obtain immediate medical attention

4.2. Most important symptoms and effects, both acute and delayed

Inhalation :	Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness
Ingestion :	After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia. Symptoms: sore throat, abdominal pain, nausea, vomiting
Skin contact :	May cause irritation. Symptoms : redness and pain
Eye contact :	May cause irritation. Symptoms : redness and pain

4.3. Indication of any immediate medical attention and special treatment needed

General Advice: If you feel unwell, seek medical advice (show the label where possible If symptoms persist always call a doctor

SECTION 5: Firefighting measures

5.1. Extinguishing media

foam, carbon dioxide or dry agent



^{(*} Explanation phrases : see chapter 16)

Regulation EC No 1907/2006 Art.31

Productname: AGL 1

Ref.Nr.: BDS000228_3_20150320 (EN)

Creationdate : 20.03.15 Version : 2.1 **Replaces:** BDS000228 20140710

5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C Forms hazardous decomposition products CO.CO2

5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water In case of fire, do not breathe fumes

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources Ensure adequate ventilation

Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

6.4. Reference to other sections

For further information see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Equipment should be earthed

Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

Do not breathe aerosols or vapours.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Wash thoroughly after use

Wear protective gloves/protective clothing/eye protection/face protection.

7.2. Conditions for safe storage, including any incompatibilities



Regulation EC No 1907/2006 Art.31

Productname: AGL 1

AGL I

Ref.Nr.: BDS000228 3 20150320 (EN)

Creationdate : Replaces:

20.03.15 Version : 2.1 BDS000228 20140710

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Keep out of reach of children.

7.3. Specific end use(s)

Lubricants

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits:

Hazardous ingredient	CAS-nr.	method	
EU established exposure limits:		-	-
carbon dioxide	124-38-9	TWA	5000 ppm
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	50 ppm
National established exposure limits, United Kingdom			·
carbon dioxide	124-38-9	TWA	5000 ppm
		STEL	15000 ppm
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	50 ppm

8.2. Exposure controls

Control procedures : Ensure adequate ventilation

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Personal protection: Take precautions to avoid contact with skin and eyes when handling the

product.

Ensure adequate ventilation

inhalation: In case of insufficient ventilation, wear suitable respiratory equipment.

recommended respiratory protection: Air purifying respirator equiped with organic gas/vapor cartridge (type A)

hands and skin: Wear suitable protective gloves against chemicals

Recommended gloves: Nitrile

eyes: Wear safety goggles.

Environmental protection: Avoid release to the environment.

Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(for aerosols data for the product without propellant) **Apperance : physical state :** CO2 propelled liquid.

colour : Amber.
odour : Salicylate.
pH : Not applicable.



Regulation EC No 1907/2006 Art.31

Productname: AGL 1

Ref.Nr.:

BDS000228_3_20150320 (EN)

Creationdate: Replaces:

20.03.15 Version: 2.1 BDS000228_20140710

Boiling point/range: Not available. Flash point: 75 °C (Closed Cup) **Evaporation rate:** Not available. Explosion limits: upper limit: Not available. lower limit: Not available. Vapour pressure: Not available.

Relative density: 0.83 g/cm3 (@ 20°C). Solubility in water: Insoluble in water

Auto-ignition: > 200 °C

Viscosity: 4 mPa.s (@ 20°C).

9.2. Other information

VOC: 560 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known if used for its intended purpose

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid

Avoid overheating

10.5. Incompatible materials

Strong oxidising agent

10.6. Hazardous decomposition products

CO,CO2

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

Inhalation: Inhalation of solvent vapours may give rise to nausea, headaches and



Regulation EC No 1907/2006 Art.31

 Productname :
 AGL 1
 Creationdate :
 20.03.15 Version : 2.1

 Ref.Nr.:
 BDS000228_3_20150320 (EN)
 Replaces:
 BDS000228_20140710

	dizziness
Ingestion :	After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia.
Skin contact :	Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis Repeated exposure may cause skin dryness or cracking.
Eye contact :	May cause irritation.

Toxicological data:

Hazardous ingredient	CAS-nr.	method	
(2-methoxymethylethoxy)propanol	34590-94-8	LD50 oral rat	> 4000 mg/kg
		LD50 derm.rabit	9510 mg/kg
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	-	LD50 oral rat	> 5000 mg/kg
		LD50 derm.rabit	> 5000 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

Not classified

Ecotoxicological data:

Hazardous ingredient	CAS-nr.	method	
(2-methoxymethylethoxy)propanol	34590-94-8	EC50 daphnia	1919 mg/l
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	-	IC50 algae	1000 mg/l
		LC50 fish	1000 mg/l
		EC50 daphnia	1000 mg/l

12.2. Persistence and degradability

No experimental data available

12.3. Bioaccumulative potential

No experimental data available

12.4. Mobility in soil

Insoluble in water

12.5. Results of PBT and vPvB assessment

No information available



Regulation EC No 1907/2006 Art.31

Productname: AGL 1

Ref.Nr.: BDS000228_3_20150320 (EN)

Creationdate : Replaces:

20.03.15 Version : 2.1 BDS000228_20140710

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: This material and its container must be disposed of in a safe way.

Do not discharge into drains or the environment, dispose to an authorised

waste collection point.

National regulations: Disposal should be in accordance with local, state or national legislation

SECTION 14: Transport information

14.1. UN number

UN-number: 1950

14.2. UN proper shipping name

Proper shipping name: AEROSOLS

14.3. Transport hazard class(es)

Class: 2.1

ADR/RID - Classification code: 5F

14.4. Packing group

Packing group: Not applicable.

14.5. Environmental hazards

ADR/RID - Environmentally

hazardous: No Marine pollutant: No

IATA/ICAO - Environmentally

hazardous:

No

No

14.6. Special precautions for user

 ADR/RID - Tunnelcode:
 (D)

 IMDG - Ems:
 F-D, S-U

 IATA/ICAO - PAX:
 203

 IATA/ICAO - CAO
 203

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code



Ref.Nr.:

Regulation EC No 1907/2006 Art.31

Productname: AGL 1

BDS000228 3 20150320 (EN)

Creationdate: Replaces:

20.03.15 Version: 2.1 BDS000228 20140710

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.

Dir. 2013/10/EU, 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.

EU-directive 99/45/EC

Regulation (EC) No 1272/2008 (CLP)

Regulation (EC) No 1907/2006 (REACH)

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

*Explanation risk-phrases: R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

R36/38: Irritating to eyes and skin.

*Explanation hazard statements:

H280: Contains gas under pressure; may explode if heated.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

