

REPAIR COMPOUND HARDENER

| SECTION 1: Identification of | of the substance/mixture and of the company/undertaking |
|---------------------------------|---|
| 1.1. Product identifier | |
| Product name | REPAIR COMPOUND HARDENER |
| Product number | Y00022 |
| 1.2. Relevant identified use | s of the substance or mixture and uses advised against |
| Identified uses | Hardener. |
| 1.3. Details of the supplier of | of the safety data sheet |
| Supplier | |
| | ITW Performance Polymers |
| | Bay 150 |
| | Shannon Industrial Estate |
| | Co. Clare |
| | Ireland |
| | V14 DF82 |
| | 353(61)771500 |
| | 353(61)471285 |
| | mail@itwpp.com |
| 1.4. Emergency telephone | number |
| Emergency telephone | +44(0)1235 239 670 (24h) |
| SECTION 2: Hazards identi | ification |
| 2.1. Classification of the sul | bstance or mixture |
| Classification (EC 1272/200 | <u>)8)</u> |
| Physical hazards | Not Classified |
| Health hazards | Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 |
| Environmental hazards | Aquatic Chronic 3 - H412 |
| 2.2. Label elements | |
| Pictogram | |
| | |
| Signal word | Danger |
| Llamond statements | H302+H312 Harmful if swallowed or in contact with skin. |
| Hazard statements | |
| Hazard statements | H314 Causes severe skin burns and eve damage |
| Hazard statements | H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. |
| Hazaro statements | H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. |

| Precautionary statements | P261 Avoid breathing vapour/ spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. |
|--|---|
| Contains | TETRAETHYLENEPENTAMINE |
| Supplementary precautionary statements | P260 Do not breathe vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/ doctor if you feel unwell. P321 Specific treatment (see medical advice on this label). P362+P364 Take off contaminated clothing and wash it before reuse. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations. |

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

| 3.2. Mixtures |
|---------------|
|---------------|

| TETRAETHYLENEPENTAMINE | | 1-5% |
|---|-----------------------------|------|
| CAS number: 112-57-2 | EC number: 203-986-2 | |
| Classification | | |
| Acute Tox. 4 - H302 | | |
| Acute Tox. 4 - H312 | | |
| Skin Corr. 1B - H314 | | |
| Eye Dam. 1 - H318 | | |
| Skin Sens. 1 - H317 | | |
| Aquatic Chronic 2 - H411 | | |
| QUARTZ | | <1% |
| CAS number: 14808-60-7 | EC number: 238-878-4 | |
| Classification | | |
| Not Classified | | |
| The full text for all hazard statements | is displayed in Section 16. | |
| SECTION 4: First aid measures | | |

4.1. Description of first aid measures

| General information | Avoid inhalation of vapours and contact with skin and eyes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). | |
|---|--|--|
| Inhalation | Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues. | |
| Ingestion | Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Give plenty of water to drink. Get medical attention immediately. | |
| Skin contact | Remove affected person from source of contamination. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing. | |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention. Get medical attention if irritation persists after washing. | |
| 4.2. Most important symptoms | and effects, both acute and delayed | |
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. | |
| 4.3. Indication of any immedia | te medical attention and special treatment needed | |
| Notes for the doctor | No specific recommendations. If in doubt, get medical attention promptly. | |
| SECTION 5: Firefighting meas | sures | |
| 5.1. Extinguishing media | | |
| Suitable extinguishing media | Extinguish with the following media: Carbon dioxide (CO2). Dry chemicals, sand, dolomite etc. Water. | |
| 5.2. Special hazards arising from | om the substance or mixture | |
| Specific hazards | Avoid breathing fire gases or vapours. | |
| 5.3. Advice for firefighters | | |
| Protective actions during firefighting | Keep up-wind to avoid fumes. Do not use water jet as an extinguisher, as this will spread the fire. Control run-off water by containing and keeping it out of sewers and watercourses. | |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. | |
| SECTION 6: Accidental release | e measures | |
| 6.1. Personal precautions, pro | tective equipment and emergency procedures | |
| Personal precautions | Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. | |
| 6.2. Environmental precautions | | |
| Environmental precautions | Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. | |
| 6.3. Methods and material for | containment and cleaning up | |
| Methods for cleaning up | Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. | |

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage 7.1. Precautions for safe handling Provide adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapours. Usage precautions Handle and open container with care. Do not eat, drink or smoke when using the product. Do not use in confined spaces without adequate ventilation and/or respirator. Do not empty into drains. Good personal hygiene procedures should be implemented. 7.2. Conditions for safe storage, including any incompatibilities Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. 7.3. Specific end use(s) Specific end use(s) The identified uses for this product are detailed in Section 1.2. SECTION 8: Exposure Controls/personal protection 8.1. Control parameters Occupational exposure limits QUARTZ Long-term exposure limit (8-hour TWA): 0.3 mg/m³ Ingredient comments WEL = Workplace Exposure Limits 8.2. Exposure controls Protective equipment Appropriate engineering Provide adequate general and local exhaust ventilation. controls Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles. Hand protection Wear protective gloves made of the following material: Rubber or plastic. Other skin and body Wear apron or protective clothing in case of contact. protection Hygiene measures Provide eyewash station and safety shower. Keep away from food, drink and animal feeding stuffs. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Wash promptly if skin becomes contaminated. Do not eat, drink or smoke when using the product. Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn. **SECTION 9: Physical and Chemical Properties** 9.1. Information on basic physical and chemical properties Appearance Paste Colour Tan Odour Slight. Ammonia.

pH pH (concentrated solution): alkaline @ 20 °C

| Melting point | N/D°C |
|--|---|
| Initial boiling point and range | >232°C @ |
| Flash point | >93°C TCC (Tag closed cup). |
| Evaporation rate | <<1 (BuAc=1) |
| Vapour pressure | <0.01mmHg @ °C |
| Vapour density | >1 |
| Relative density | 1.55 @ 20 °C°C |
| Solubility(ies) | N/D |
| 9.2. Other information | |
| Other information | Not available. |
| SECTION 10: Stability and rea | activity |
| 10.1. Reactivity | |
| Reactivity | Strong oxidising agents. |
| 10.2. Chemical stability | |
| Stability | Stable at normal ambient temperatures and when used as recommended. |
| 10.3. Possibility of hazardous | reactions |
| Possibility of hazardous reactions | Not available. |
| 10.4. Conditions to avoid | |
| Conditions to avoid | Avoid heat, flames and other sources of ignition. Avoid excessive heat for prolonged periods of time. Avoid exposure to high temperatures or direct sunlight. |
| 10.5. Incompatible materials | |
| Materials to avoid | Avoid contact with the following materials: Strong oxidising agents. Chlorinated hydrocarbons. |
| 10.6. Hazardous decomposition | on products |
| Hazardous decomposition products | Fire or high temperatures create: Nitrous gases (NOx). Oxides of the following substances: Carbon monoxide (CO). Carbon dioxide (CO2). Vapours/gases/fumes of: Ammonia or amines. |
| SECTION 11: Toxicological information | |
| 11.1. Information on toxicologi | cal effects |
| Acute toxicity - oral | 500.0 |
| ATE oral (mg/kg) | 500.0 |
| <u>Acute toxicity - dermal</u> ATE dermal (mg/kg) | 1,100.0 |
| | |
| Inhalation | Irritating to respiratory system. |
| Ingestion | Irritating. Symptoms following overexposure may include the following: Nausea, vomiting. Stomach pain. |
| | |

| Skin contact | May be absorbed through the skin. Irritating to skin. Prolonged or repeated exposure may cause severe irritation. May cause sensitisation by skin contact. May cause sensitisation or allergic reactions in sensitive individuals. |
|--------------|--|
| Eye contact | May cause severe eye irritation. A single exposure may cause the following adverse effects: Corneal damage. |

TETRAETHYLENEPENTAMINE

| Aquita taviaity a | |
|---|--|
| Acute toxicity - of Acute toxicity ora | |
| mg/kg) | |
| Species | Rat |
| ATE oral (mg/kg) | 500.0 |
| SECTION 12: Ecological Infor | mation |
| Ecotoxicity | Avoid release to the environment. The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. |
| 12.1. Toxicity | |
| Toxicity | Not considered toxic to fish. |
| 12.2. Persistence and degrada | ability |
| Persistence and degradability | There are no data on the degradability of this product. |
| 12.3. Bioaccumulative potentia | al |
| Bioaccumulative potential | No data available on bioaccumulation. |
| 12.4. Mobility in soil | |
| Mobility | Do not discharge into drains or watercourses or onto the ground. |
| 2.5. Results of PBT and vPv | 3 assessment |
| Results of PBT and vPvB assessment | This product does not contain any substances classified as PBT or vPvB. |
| 12.6. Other adverse effects | |
| Other adverse effects | Not available. |
| SECTION 13: Disposal consid | lerations |
| 13.1. Waste treatment method | ls |
| General information | When handling waste, the safety precautions applying to handling of the product should be considered. |
| Disposal methods | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. |
| Waste class | 08 04 99 |
| SECTION 14: Transport inform | nation |
| 14.1. UN number | |
| | |

UN No. (ADR/RID)

1760

| UN No. (IMDG) | 1760 | |
|-----------------------------------|---|--|
| UN No. (ICAO) | 1760 | |
| UN No. (ADN) | 1760 | |
| 14.2. UN proper shipping name | 2 | |
| Proper shipping name (ADR/RID) | CORROSIVE LIQUID, N.O.S. (TETRAETHYLENEPENTAMINE, TRIETHYLENETETRAMINE) | |
| Proper shipping name (IMDG) | CORROSIVE LIQUID, N.O.S. (TETRAETHYLENEPENTAMINE, TRIETHYLENETETRAMINE) | |
| Proper shipping name (ICAO) | CORROSIVE LIQUID, N.O.S. (TETRAETHYLENEPENTAMINE, TRIETHYLENETETRAMINE) | |
| Proper shipping name (ADN) | CORROSIVE LIQUID, N.O.S. (TETRAETHYLENEPENTAMINE, TRIETHYLENETETRAMINE) | |
| 14.3. Transport hazard class(es) | | |
| ADR/RID class | 8 | |
| ADR/RID classification code | C9 | |
| ADR/RID label | 8 | |
| IMDG class | 8 | |

ICAO class/division 8 ADN class 8

Transport labels



| 14.4. Packing group | |
|---------------------|--|
| III | |
| III | |
| III | |
| III | |
| | |

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

| 14.6. Special precautions for user | | |
|------------------------------------|--|--|
| F-A, S-B | | |
| 3 | | |
| 2X | | |
| 80 | | |
| (E) | | |
| | | |

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

| SECTION 16: Other information | |
|-------------------------------|---|
| Revision date | 06/04/2018 |
| Revision | 11 |
| Supersedes date | 27/08/2015 |
| Hazard statements in full | H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.